## Shipping Costs Not Inclued www.Fatboycell.com//ECommerce/General/VapeProduct.aspx 15336 E Valley Blvd City Of Industry CA 91746 626-961-5388 info@fatboycell.com

Dispo	sable Vape Pen							*Price may vary
NO.	Product Name	OMS item#	Spec	Feature	QTY	Suggest Lowest	OEM Info	Picture
-			Size: 21.5*12.0*62.5mm		10~1000	Price(USD) \$2.55		Termo Trettauron
1 NE W			Battery: 350mAh		samples			dina dia mandri ana eranga amin'nya Canadri A 2000 Ina amin'nya dia mangri amin'nya Pantana dia mangri amin'nya
	TP-01 Disposable	VP-TP01	Capacity: 1.0ML Oil hole: 4*1.5mm(OEM) Resistance: 1.3ohm Bottom: Micro USB charger,typle-C charger	Ceramic Coil pure taste; No lekage Suit for thc oil;	1001~20000	\$2.45	1 color logo free, extra colors, 0.1usd/color Make sample time: 3 days	Line Market
				No lokage out for the on,	20001~50000	\$2.40	Production time: 5~15 working days	
					above 50001 10~1000	\$2.35		
2 NE W	TD-02 Disposable	VP-TD02	Ceramic coil Volume: 2.0ML Battery Capacity: 350mah	Rechargeable, 1.3ohm ceramic coil, Oil hole: 45mm(OEM) 350mah, thick oil Can Preheat, three pressure regulating	samples	\$2.65	1 color logo free, extra colors, 0.1usd/color Make sample time: 3 days Production time: 5~15 working days	
					1001~20000	\$2.55		
					20001~50000	\$2.50		
					above 50001	\$2.45		
	Dual battery		hold 0.5ML/1.0ML cartridge	600mAh, can fit 2 cartridges same time,with different flavors	10~1000 samples	\$2.70	1 color logo free, extra colors, 0.1usd/color Make sample time: 3 days Production time: 5~15 working days	
3 NE		VP-DLBT			1001~20000	\$2.65		
w					20001~50000	\$2.60		
					above 50001	\$2.55		
			Size: 16.0*7.5*98.0mm	Destau	10~1000 samples	\$2.55		Taylor the Taylor that a second secon
4 NE	TM-01 Disposable	VP-TM01	Battery: 350mAh Capacity: 1gram Resistance: 1.30hm Bottom: Micro USB charge	Rechargeable, ceramic coil,	1001~20000	\$2.45	1 color logo free, extra colors, 0.1usd/color Make sample time: 3 days Production time: 5~15 working days	Reference of the second
w				2*1.8mm oil hole thick oil	20001~50000	\$2.40		
					above 50001	\$2.35		
	TOR pod disposable pen	VP-TORP	Ceramic coil Volume: 0.5ml/0.8ml Battery Capacity: 350mah	Rechargeable, 1.3ohm ceramic coil, 3.7v-4.2v, 350mah, thick oil	10~1000 samples	\$2.55	1 color logo free, extra colors, 0.1usd/color Make sample time: 3 days Production time: 5~15 working days	
5					1001~20000	\$2.45		
нот					20001~50000	\$2.35		
					above 50001	\$2.30		
	RD Ceramic Pen (Rechargeable) Micro-usb is included	VP-RDCE	Ceramic Coll Oil Hole: 1.2mm, 1.6mm Volume: 0.5ml, 1.0ml Battery Capacity:320mah Can recharged from the bottom	Rechargeable, no worry power diminishing; Suit for thc oil;	10~1000 samples	\$2.50	1 color logo free, extra colors, 0.1usd/color Make sample time: 3 days Production time: 5~15 working days	Testiech
6					1001~20000	\$2.45		and the second s
					20001~50000	\$2.35		
					above 50001	\$2.30		
	TG-4 (Rechargeable) Micro- usb is included	VP-TG4	4.0ml	Rechargeable, no wony power diminishing: Suit for the olt;	10~1000 samples	\$3.10	- 1 color logo free, extra colors, 0.1usd/color Make sample time: 3 days Production time: 5~15 working days	
7					1001~20000	\$3.00		
·					20001~50000	\$2.90		
					above 50001	\$2.80		
		VP-TS2	2.0ml	Rechargeable, no worry power dminishing; Suit for the olt;	10~1000	\$2.45	1 color logo free, extra colors, 0.1usd/color Make sample time: 3 days Production time: 5~15 working days	1
					samples 1001~20000	\$2.37		
8	TS-2 (Rechargeable) Micro- usb is included				20001~50000	\$2.31		
					above 50001	\$2.25		
					10~1000	\$2.45		R.
	TS-1 Micro-usb is included		1.0mi	Rechargeable, no worry power diminishing; Suit for the oil;	samples 1001~20000	\$2.37	1 color logo free, extra colors, 0.1usd/color Make sample time: 3 days Production time: 5–15 working days	
9		VP-TS1			20001~50000	\$2.37		
					above 50001	\$2.31		
	TD-2 Micro-usb is included	VP-TD2	2 Flavour	Rechargeable, no worry power diminishing: Suit for the oit;	above 50001 10~1000	\$2.25	1 color logo free, extra colors, 0.1usd/color Make sample time: 3 days Production time: 5~15 working days	70-2
					samples			) 西南南)
10					1001~20000	\$2.90		
					20001~50000	\$2.80		
510 -	lemp Oil Cartridges				above 50001	\$2.70		
No.	Product Name		Brief Introduction	Feature	QYT		OEM Info	Pictures
1 HOT	TC-01 Ceramic Glass Matched Battery: Zeus, ADV, L10	VP-TC01	Ceramic Coil (Ceramic Coil + Ceramic Mouth Tip) Volume: 0.5ml,0.8ml,1.0ml Oil hole size: 1.6mm, 1.8mm, 2.0mm	Lead-free, Popular style in market No Leakge, No burn Suit for thick thc oil	10~2000	\$0.95	1 color logo free, extra colors, 0.1usd/color Make sample time: 3 days Production time: 5~15 working days	
					samples 2001~10000	\$0.90		
					10001~50000	\$0.85		
					above 50000	\$0.80		
						+		

United by      United Description      United Descripti									
Image: Processing of the second sec		Ceramic Glass Matched Battery:	VP-TC01S	Mouth Tip) Volume: 0.5ml,1.0ml Oil hole	cover, beautiful apparance, never leakage		\$0.95	time: 3 days	
View      View <th< td=""><td></td><td></td><td>\$0.90</td><td>TG ets</td></th<>							\$0.90		TG ets
Control Columne      Control Co									N. D
B      B									2 Y
1      1		Press on tip Ceramic glass Matched Battery:		Coromio Coil		10~2000		time: 3 days	
Image: Source glaber      VP-7201      Wanne Deel (data) Allei of take and Deel			VP-TS01	Top lock design(snap on),oil safe 4 direction intake holes Volume: 0.5ml, 0.8ml,1.0ml Oil hole size: 1.6mm, 1.8mm,	Top air flow, never leakage from				
Zee, 400, 101      Max min      Description      Production      Produc									
Land Mar. Instrumentation      Production (M-Composition)      Production (M-Composition)      Production (M-Composition)      Production (M-Composition)									
Image: Section of the sectio		Full Ceramic Cartridge Matched Battery:	VP-Cera	Full Ceramic 4 direction intake holes Volume: 0.5ml,1.0ml Oil hole size:	never leakage from buttom			1 color logo free, extra colors, 0.1usd/color Make sample time: 3 days	
No.  Deving  Windows  Devine  Windows  Devine  Devine <td></td> <td></td> <td></td> <td></td>									
Image: Section of the sector of the secto									1 Carlon
1  Till State Cardop Will Base Cardop Will Ba									
Strice  The second sec							\$0.82		
No.  No. <td></td> <td rowspan="2">Full Glass Cartridge</td> <td></td> <td>Full Glass</td> <td rowspan="2"></td> <td></td> <td>\$1.30</td> <td rowspan="2"></td> <td></td>		Full Glass Cartridge		Full Glass			\$1.30		
View  Description  Productor mode  Productor mode    1  2001-10000  \$1.00    2002  Productor mode  Productor mode    1  Pro	5 NE		VP-TLAS	4 direction intake holes Volume: 0.5ml,1.0ml Oil hole size:		2001~10000	\$1.25		
No. Version      Product      Bield Histoductor      Product      Product      Product        1      Cost Mattery at top at	w					10001~50000	\$1.20		
N      Produit      Beef Introduction      Feature      017      Product      Product        1						above 50000	\$1.15		
1      Cool basery strong      VP-BTCCELL      320mmh 107      320mmh 108.400 Ubit 10.50mm dameter      10-100 117-2000      52.66 120-1000      32.66 120-1000      32.66 120-1000      32.66 120-1000      32.66 120-1000      32.66 120-1000      32.66 120-1000      32.66 120-1000      32.66 120-1000      32.66 120-1000      32.66 100-1000      32	510 \		Γ	I					1
107	0	Product		Brief Introduction	Feature				Picture
1    1    32000h    10    32000h    10    10    22.20    10		Cooll bottony					\$2.65	-	No. No. 100
Indiance    DUID (Press Score on all press Score on build press Score on press Score on all press Score on press Score		+ Micro Usb	VP-BTCCELL			101~2000	\$2.60		
Jord Factor battery in The site at the book bad barger and port at the book bad barger in the barger states barger in the barger in t	нот		VF-BICCELL			2001~10000	\$2.55		
1  Zous battery the sit a micro use print in bottom  4.000min Output voltage range: 2.74.32×.40v3  2.74,32×.40v3  association (101-0000  0.05sud0clor Male sample the: 3 sky Production the: 5-15 working day  0.05sud0clor Male sample the: 3 day Production the: 5-15 working day  Image change day Production th						above 10000	\$2.50		
1  1  Hord Liss dange UP-8TZEUS  400mah Output voltage ranges: 2-74-8/v01  2.74-8/v01  101-2000  52.80  0.05extection take sample time: 3 days Poduction time: 5-15 working days    2  4.000 Liss dange usb port at the schere Charge organize take  0.05extection take sample time: 3 days Poduction take sample time: 3 days Poduction time: 5-15 working days  0.05extection take sample time: 3 days Poduction time: 5-15 working days    2  4.000 Liss dange organize take  0.05extection take sample time: 3 days Poduction time: 5-15 working days  0.05extection time: 5-15 working days    3  List dotom working days  0.05extection take sample time: 3 days Poduction time: 5-15 working days  0.05extection time: 5-15 working days    3  List dotom working days  112-200-400  53.85 times days Poduction time: 5-15 working days  0.05extection time: 5-15 working days    3  List dotom working days  112-200-400  52.85 times days Poduction time: 5-15 working days  0.05extection time: 5-15 working days  0.05extection time: 5-15 working days    3  List dotom working days  112-200-400  112-200-400  52.85 time: 100-200  0.05extection time: 5-15 working days    4  112-200-400  112-200-400  112-200-400  101-2000  52.85 time: 100-200  0.05extection time: 5-15 working days    4  112-200-100  112-200-100  112-200  112-200  112-200		7	VP-BTZEUS	2.7~4.0Volt			\$2.65	days Production time: 5~15	
Indiana a reference    VP-B12EUD    C2-0-1000    32.55    C3-0-1000    32.55      2    ADV basiesy enhage Charging port at enhage Charging between    VP-BTADV    650mah Output voltage ranges: 3.3x-4.6V    3.3x-6.0V    3.3x-6.0V    0.05undcolor Make sample time: 3 dors Production Make sample time: 3 dors P	1	+ Micro Usb charger					\$2.60		
bottom	нот	usb port at the				2001~10000	\$2.55		
2    ADV battery - Merc usa observed as a set of observed as a set of obset a							\$2.50		
ADV battery entry beharger Charging port at side charger of barging port at side charger of barging port at side adjusted to voltage battery Charging port at rop port at side charging port at side charger of barging port at side port at side por	-	+ Micro usb charger Charging	VP-BTADV	3.3v~4.8v				days Production time: 5~15	
NE    - method badge port at side    VP-BTADV    3.3%-4.8° 14mm diameter    Twist bottom to adjust voltage long lasting power    2001-10000    \$3.45    days Production time: 5-15 working days    days Production time: 5-15 working days    Image: 5-15	2				side aborra				
V    port at side    Immin dameter    Immin dameter    Immin dameter    Immin dameter    Dolg lasing power    dolw = 1000    S3.35    Working days      1    L10 bottom adjustable voltage trads charger Charging port at top    VP-BTL10    11.2mm diameter 2.0v-4.0v    betwee novel (on gaussian) power    betwee novel (on gaussian) power    S2.85    0.05od/dolor Make sample time.3 days Production me.5-15 working days      1    710S Filling Machine    110v voltage penumatics power source    for vape cartificae, pods 1 time 100pcs within 1 min    5100 including shiping to USA * test of all function for time kall    Lead time 5-10 working days    ime      2    Capping machine    110v voltage for cap on multip    time 100pcs within 1 min    5100 including shiping to USA * for different pods, carts    Lead time 5-10 working days    ime    Ime      1    110v voltage	NE				Twist bottom to adjust voltage				
Image: state with a divisable with a didis divisable with a divisable with a divisable with a	w								
Lit Dottom adjustable voltage battery -the farger Charging port at charging p							\$3.35		
3    battery Charging port at power    VP.BTL10    11.2mm diameter 2.0v-4.0v    Doublin adjustation for glassing different calcing for glassing power    101-2000    \$2.85    Doublin adjustation for glassing disp Poduction finds = Single above 10000    \$2.80      Machines/Equip    NO.    Product Name    Brief Introduction    Filling Machine    Product Name    Peture      1    710S    110 voltage penumatics power source    for vape catridges, pods 11 me 100pcs within 1 min    St1300 including shiping to USA * heating of function for thick oil * 1 year after sale guarantee    Lead time 5-10 working days    Image: Single Calcing Single		adjustable voltage battery +usb charger Charging port at	VP-BTL10				\$2.95	- days Production time: 5~15	
Product Hanges    power    2001-10000    \$2.80    working days      Machines/Equip    Brief Introduction    Product Name    Brief Introduction    Picture      1    710S    Filling Machine    110v voltage penumatics power source    for vape cartridges, pods 1 time 100pcs within 1 min    \$11300 including shiping to USA * heating of function for thick oil * touch screen easy operate    Lead time 5-10 working days    Image: Cartridges of Cartridge	3			11 2mm diameter 2 0v-4 0v	different capacity long lasting	101~2000	\$2.85		•
Machines/Equip    Autor Name    Brief Introduction    Picture      NO.    Product Name    Brief Introduction    Picture      1    710S    110v voltage perumatics power source    10r vape cartridges, pods    \$11300 including shiping to USA    Lead time 5-10 working days    Image: State Sta	нот			11.2mm diameter 2.0v~4.0v		2001~10000	\$2.80		
NO.    Product Name    Brief Introduction    Picture      1    710S Filling Machine    110v voltage penumatics power source    for vape cartridges, pods 1 time 100pcs within 1 min    \$11300 including shiping to USA * heating oil function for thick oil * touch screen casy operate    Lead time 5~10 working days    Image: Cartridges      2    Capping machine    110v voltage for cap on muthtip cartridges    1 time 100pcs within 1 min    \$7400 including shiping to USA * electronic power, no need air * maxium pressure 7.51 * for different pods, carts    Lead time 5~10 working days    Image: Cartridges      0EM Packagings    1 time 100pcs within 1 min    \$7400 including shiping to USA * electronic power, no need air * for different pods, carts    Lead time 5~10 working days    Image: Cartridges      1    TP    Various    Example Bag Custome Pickagings    Sufferent pods, carts    Image: Cartridges						above 10000	\$2.75		
1    TOS Filling Machine    110v voltage penumatics power source    for vape cartridges, pods 1 time 100pcs within 1 min    \$11300 including shiping to USA • leating oil function for thick oil • touch screen easy operate • 1 year after sale guarantee    Lead time 5-10 working days    Image: Comparison of the comparison									
1    TOS Filling Machine    110v voltage penumatics power source    for vape cartridges, pods 1 time 100pcs within 1 min    S1300 including shiping to USA 1 time 100pcs within 1 min    Lead time 5-10 working days    Lead time 5-10 working days      2    Capping machine    110v voltage for cap on muthip cartridges    1 time 100pcs within 1 min    S7400 including shiping to USA 1 time 100pcs within 1 min    Lead time 5-10 working days    Lead time 5-10 working days      0    Example Bag Custome Pockagings    1 time 100pcs within 1 min    S7400 including shiping to USA 1 time 100pcs within 1 min    Lead time 5-10 working days    Lead time 5-10 working days      1    TP    Various    Example Bag Custome Pockagings    State Case pocking Collection S0.15(e)    State Case Collection S0.15(e)    State Case Case Case Case Case Case Case Cas	NO.	Product Name		Brief Introduction					A
1    TP    Various    Example Bag Custome Pickagings    It ime 100pcs within 1 min    S7400 including shiping to USA * electronic power, no need air * maxium pressure 7.5 T * for different pods, carts    Lead time 5-10 working days    It ime 5.000 minutes      0CM Packagings    It ime 100pcs within 1 min    S7400 including shiping to USA * electronic power, no need air * maxium pressure 7.5 T * for different pods, carts    Lead time 5-10 working days    It ime 5.000 minutes      0CM Packagings    It ime 100pcs within 1 min    What are the vage period CM packaging options?    It ime 5.000 minutes    It ime 5.000 minutes      1    TP    Various SU(56)    Example Bag Custome Pickagaing SU(15(e)    It ime 100pcs within 1 min    It ime 100pcs within 1 min <td>1</td> <td rowspan="2"></td> <td rowspan="2"></td> <td rowspan="2">110v voltage penumatics power source</td> <td rowspan="2"></td> <td colspan="2" rowspan="2">* heating oil function for thick oil * touch screen easy operate</td> <td rowspan="2">Lead time 5~10 working days</td> <td></td>	1			110v voltage penumatics power source		* heating oil function for thick oil * touch screen easy operate		Lead time 5~10 working days	
2    Capping machine    110v voltage for cap on muthip cartridges    1 time 100pcs within 1 min <b>57400 including shiping to USA</b> * electronic power, no need air * maximum pressure 7.57*    Lead time 5-10 working days    Image: Comparison of the second s									-1
2    Capping machine    110v vollage for cap on multip cartridges    1 time 100pcs within 1 min    * electronic power, no need air * maxium pressure 7.5T    Lead time 5–10 working days    Image: Cartridges      OEM Packagings    OEM Packagings    Image: Cartridges									
OEM Packagings    1  TP    Various    Styles    Styles      Example Bag Custome Pokagaing \$0.15(e) > Prices (Varie on type of Packaging)      Image: Packaging of the packaging o	2	Capping machine			1 time 100pcs within 1 min	* electronic power, no need air * maxium pressure 7.5T		Lead time 5~10 working days	1/
1  TP  Various styles  Example Bag Custome Pokagaing \$0.15(e) > Prices (Varie on type of Packaging)  Image: Bag Subject  Image: Bag <subject<< td=""><td>0</td><td></td><td>Terter V.</td></subject<<>	0								Terter V.
1 TP Various styles (Varie on type of Packaging)	OEM	Packagings				What are the	vana panikit OEM padrasian	n ontione2	What was the uses websides APM making to excluse
	1		Custome Pckagaing \$0.15(e) > Prices			Box+Bister Box+	Blister Box+EVA Grit B	lox PaperBox Define BorBs BorBr Paris Synaiss Define BorBr P	
					Bie Glier Dicosis	Plastic Kit Leath	er Case Gift Kit		Nacional Departmenting in the second



## \*\*\*Torch's Partners Packaging & Supplies\*\*\*

MUHA MEDS'







## Big Chief





